

## Appointment

---

**From:** [Nonresponsive based on revised scope]@WestonSolutions.com]  
**Sent:** 4/23/2020 4:02:16 PM  
**To:** [Nonresponsive based on revised scope]@WestonSolutions.com]; Wagner, Christine [Wagner.Christine@epa.gov]; [Nonresponsive based on revised scope]  
[Nonresponsive based on revised scope]@erllc.com]; [Nonresponsive based on revised scope]  
[Nonresponsive based on revised scope]  
[Nonresponsive based on revised scope]@WestonSolutions.com]

**Subject:** Shiloh Church Road: Property 1 - Status Call  
**Attachments:** Shiloh - Property 1 Status Results.pdf; Property 1 - Status Results Sketch\_042320.pdf  
**Location:** Call-in  
  
**Start:** 4/23/2020 7:00:00 PM  
**End:** 4/23/2020 8:00:00 PM  
**Show Time As:** Busy

**Recurrence:** (none)

All

Here is the call in number for this afternoon's call:

Dial-in: [Ex. 6 Personal Privacy (PP)]  
Code: [Nonresponsive based on revised scope]

Attached is a sketch of the Site Area and sample results and a Results Table. Area 8 samples were shipped yesterday for analysis.

Note:

Pink = RCRA & TSCA

Green = TSCA

Yellow = Results Pending

Thank you,

[Nonresponsive based on revised scope]  
Region III START Response Manager  
WESTON SOLUTIONS, INC.  
Cell: [Nonresponsive based on revised scope]  
Work: [Nonresponsive based on revised scope]  
[Nonresponsive based on revised scope]@WestonSolutions.com

**CONFIDENTIALITY:** This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.